



PROCAT[®] PROFESSIONAL INSULATION SYSTEM

ProCat[®] loosefill insulation is part of a full system solution for retrofit and new construction insulation jobs. The full system includes a range of accessories that provide thermal and air sealing performance. The accessories in this list allow you to easily complete a job the right way to avoid callbacks and increase efficiency.

Contact your Owens Corning sales representative for more details or call 1-800-GET-PINK[®] for technical application support. For ProCat[®] insulation availability and pricing, please contact your local area sales manager.



PROCAT[®] ACCESSORY LIST

March 2025

ProCat[®] Installation Machine

PRODUCT CODE	739512
UPC	047563711578
SIZE	59"H x 33"W
WEIGHT	181 lb.
HOSE	100' 2½"
CENTER EXTENSION HOSE	522378 50', 2½"
DRIVE MOTOR	¾ hp
ELECTRIC	115v 50/60Hz
POWER REQUIREMENTS	One 15 amp
PALLET WEIGHT	195 lb.
PALLET DIMENSIONS	28" x 62" x 60"H

- Order lead time 7-10 days
- LTL — Ships LTL, order separately
- Price includes shipping fees



UPS: Products designated as UPS shipment in minimum quantities.

Top-loaded: This shipping option indicates product availability from stocking locations in minimum quantities added to insulation orders in line with Residential Insulation order guidelines (delivered or CPU).



ProCat® Retrofit Wall Kit

PRODUCT CODE	925624
HOSE LENGTH	65"
WEIGHT	3 lb.
BOX DIMENSIONS	12" x 18" x 4"H

- Ordered separately from ProCat® machine.

ProCat® Insulation

PRODUCT CODE	750865
SHORT CODE	PC01
UPC	047563712933
SIZE	36" length x 19" height
WEIGHT/BAG	33.5 lb./bag
SHIP CONFIGURATION	11 row stack 3 bags per row 33 bags stretch wrapped on 1 pallet
MIN. ORDER QUANTITY	¼ truck load*
FULL TRUCK LOAD	891 bags
STOCKING LOCATIONS	FB, KC, WAX, DEL, NEW, MTV, LAKE, NEPH
PRODUCING LOCATIONS	KC, MTV, LAKE, NEPH



*See service guidelines partial trucks subject to wait for match. Partial fee.

3" Wood Plugs

UPS option



PRODUCT CODE	581088
BAG UPC (EA)	047563706192
CARTON UPC	047563706208
PRODUCT DIMENSIONS	3" x 3" x ¾" thick
CARTON DIMENSIONS	26" x 24" x 7"
STOCKING LOCATIONS	UPS only
MINIMUM QUANTITY	1 ct/16 bags/400 plugs – UPS Ground

Re-insulating walls with loosefill insulation requires drilling 2-3" holes per cavity, typically through the exterior sheathing. Most homes without wall insulation have wood exterior sheathing, we recommend plugging the holes in wood sheathing with a tapered wood plug.

UPS: Products designated as UPS shipment in minimum quantities.

Top-loaded: This shipping option indicates product availability from stocking locations in minimum quantities added to insulation orders in line with Residential Insulation order guidelines (delivered or CPU).

raft-R-mate® Attic Vents (Ventilation Baffles)

UPS option



PRODUCT CODE	Carton UPS 459263 Carton Plant 510266
SHORT CODE	Carton UPS 12 RM Carton Plant 10 RM
UNIT UPC (EA)	UPC 047563500516 UPC 047563500455
PRODUCT DIMENSIONS	22.5" x 48" x 1.5" thick
CARTON DIMENSIONS	23" x 48" x 16"H
CARTON COUNT	75
PALLET DIMENSIONS	48" x 48" x 102"H
PALLET COUNT	900
TRUCKLOAD QUANTITY	21,600
STOCKING LOCATIONS	FB, KC, DEL, NEW, WAX, MTV, TALL, ROCK, GRES, PORT, VAC, PHO, EDM, TOR
MINIMUM QUANTITY	UPS – 1 ct/75 ea Insulation Plant 1 ct/75 ea Foam Plants – 2 pallets/1,800 ea

raft-R-mate® vent is a rigid polystyrene sheet shaped to help prevent attic or rafter cavity insulation (batt or blown) from covering eave or soffit vents or from expanding to fill cavity airways and restricting airflow.

Attic Stairway Insulator



PRODUCT CODE	541799
SHORT CODE	AS2
UPC	047563701265
PRODUCT DIMENSIONS	36" x 60" x 19"H x 2" thick
CARTON DIMENSIONS	12" x 24" x 16"H
CARTON COUNT	1
PALLET DIMENSIONS	40" x 48" x 52"H
PALLET COUNT	18
STOCKING LOCATIONS	FB, KC, DEL, NEW, WAX, MTV, PORT
MINIMUM QUANTITY	2 ct

Owens Corning® Attic Stairway Insulator is comprised of durable PINK® Fiberglas™ Insulation and tough, highly reflective foil. The product comes fully assembled and is easy to install. The Attic Stairway Insulator can help reduce air leaks and add insulation to the home as recommended by the seal and insulate with ENERGY STAR® effort.

UPS Products designated UPS shipment in Minimum Quantities

Top-loaded This shipping option indicates product availability from stocking locations in minimum quantities added to insulation orders in line with Residential Insulation order guidelines (delivered or CPU)

Attic Hatch Bag

PRODUCT CODE	740502
PACK UPC	047563711639
PRODUCT DIMENSIONS (WHEN FULL)	24" x 32" x 15"
STOCKING LOCATIONS	FB, KC, DEL, NEW, LAKE, PORT, VAC, PHO
MINIMUM QUANTITY	25 pc/1 ct top-loaded



The Attic Hatch Bag is a loosefill insulation bag that can be used for the attic hatch, an insulation block at the eaves, or as fencing around the attic opening. The fabric bag is flexible to different hatch sizes. Simply fill the bag with 7 lbs (1/4 of a bag) of loosefill insulation to achieve R-60. The bag self-seals when you pull the hose out. *(Bag in picture is shown filled.)*

Insulation Vacuum Bag

UPS option



PRODUCT CODE	783394
UPC	047563713619
PRODUCT DIMENSIONS	75 cu ft 4' x 6' (filled)
CARTON DIMENSIONS	21" x 18.5" x 12"
CARTON COUNT	15
PALLET DIMENSIONS	40" x 48" x 54.5"
PALLET COUNT	240 ea
STOCKING LOCATIONS	UPS only
MINIMUM QUANTITY	1 ct

Owens Corning® Insulation Vacuum Bags are made out of 100% polypropylene fabric to allow the bag to breathe when insulation is disposed into the expandable bag when vacuuming out insulation from an attic. The Insulation Vacuum Bag fits approximately 75 cubic feet of damaged or contaminated insulation.

UPS Products designated UPS shipment in Minimum Quantities
Top-loaded This shipping option indicates product availability from stocking locations in minimum quantities added to insulation orders in line with Residential Insulation order guidelines (delivered or CPU)

Multi-Purpose Fiberglass Insulation



PRODUCT CODE	514486
SHORT CODE	MP40
ROLL UPC	086397701942
ROLL DIMENSIONS	16" x 48" x 2"
CARTON DIMENSIONS	36" x 24" x 36"H
CARTON COUNT	40
PALLET DIMENSIONS	46" x 46" x 90"H
PALLET COUNT	400
STOCKING LOCATIONS	FB, KC, DEL, NEW, WAX, PORT, VAC
MINIMUM QUANTITY	1 pk/40 ea top-loaded

Owens Corning® Multi-Purpose Insulation is an attractively priced small pack of insulation for completing projects. The convenient retail pack is perfect for door and window insulation, filling small construction gaps, or insulating voids during weatherization projects.

Garage Door Insulation Kit

PRODUCT CODE	500824
SHORT CODE	GD1
CARTON UPC	047563700275
PRODUCT DIMENSIONS	(8) 22" x 54" x 2.25" thick
CARTON DIMENSIONS	12" x 24" x 16"H
CARTON COUNT	1
PALLET DIMENSIONS	40" x 48" x 52"H
PALLET COUNT	18
STOCKING LOCATIONS	FB, KC, DEL, NEW, WAX, PORT, VAC
MINIMUM QUANTITY	2 ct



The Garage Door Insulation Kit is a great way to insulate part of the home envelope that is often ignored and improve garage comfort. These R-8 panels covered in tough, washable vinyl facing are an attractive and cost-effective way to improve garages. Each kit covers up to one 9 ft. single door. Two kits required for a double door.

UPS: Products designated as UPS shipment in minimum quantities.

Top-loaded: This shipping option indicates product availability from stocking locations in minimum quantities added to insulation orders in line with Residential Insulation order guidelines (delivered or CPU).

Wall Fabric — 8'2", 9'2", 10'2"



PRODUCT CODE	8'2"	1198826
	9'2"	1198823
	10'2"	1198808
SHORT CODE	8'2"	LF8
	9'2"	LF9
	10'2"	LF10
UPC	8'2"	047563723830
	9'2"	047563723847
	10'2"	047563723854
PRODUCT DIMENSIONS	8'2"	8'2" x 600' = 4,896 sq. ft.
	9'2"	9'2" x 600' = 5,496 sq. ft.
	10'2"	10'2" x 600' = 6,096 sq. ft.
STOCKING LOCATIONS	8'2"	FB, KC, DEL, NEW, WAX, EDM, TOR, MTV, LAKE, PORT, VAC, PHO
	9'2"	FB, KC, DEL, NEW, WAX, EDM, TOR, MTV, LAKE, PORT, VAC, PHO
	10'2"	FB, KC, NEW, WAX, EDM, TOR, LAKE, PORT, VAC, PHO
MINIMUM QUANTITY	8'2"	1 roll top-loaded
	9'2"	
	10'2"	

For installing Owens Corning® Blown-In Loosefill Insulation in walls or other framing cavities, Owens Corning® Wall Fabric takes advantage of the new higher R-value wall installation charts.

Loosefill Wall Installation Tube

UPS option

PRODUCT CODE	742510
UPC	047563711998
STOCKING LOCATIONS	UPS only
MINIMUM QUANTITY	1 ea

The Loosefill Wall Installation Tube is 2½" x 35" and has an angled end to help cut into the loosefill fabric to save on labor. The tube is made of lightweight aluminum and is easy to handle.



UPS: Products designated as UPS shipment in minimum quantities.

Top-loaded: This shipping option indicates product availability from stocking locations in minimum quantities added to insulation orders in line with Residential Insulation order guidelines (delivered or CPU).

ProPink ComfortSeal™ Gun Foam

UPS option

PRODUCT	SAP CODE	STOCKING LOCATIONS	UPC/EA	UPC/CT	MIN QTY	CT QTY	PALLET COUNT
ProPink ComfortSeal™ Gun Foam All Season — 24 oz	644229	MTO	047563707403	047563707465	2 pl/1,152 ea	12 ea	576 ea
ProPink ComfortSeal™ Gun Foam — 24 oz	644228	NEW	047563707397	047563707458	6 ct/72 ea	12 ea	576 ea
ProPink ComfortSeal™ Sealant Cleaner — 12 oz	644230	NEW	047563707410	047563707472	6 ct/72 ea	12 ea	900 ea
ProPink® Foam Sealant Gun — All Plastic	644231	NEW	047563707427	047563707489	1 ea**	20 ea	NA
ProPink® Foam Sealant Gun — Hybrid	644232		047563707434	047563707496	1 ea**	20 ea	NA

** For orders with foam and guns, single guns can be shipped. For orders with guns only, one ct is the minimum order quantity.

ProPink ComfortSeal™ Gun Foam does the job of three products in one: Window & Door, Fireblock, and General Air Sealing with just one product.

ProPink ComfortSeal™ Gun Foam All Season works better in extreme cold and low-humidity environments than standard single-component foams.

ProPink ComfortSeal™ Gun Foam accessories include cleaner and dispensing guns.



UPS: Products designated as UPS shipment in minimum quantities.

Top-loaded: This shipping option indicates product availability from stocking locations in minimum quantities added to insulation orders in line with Residential Insulation order guidelines (delivered or CPU).

ProPink ComfortSeal™ Sill Gasket

PRODUCT CODE	3.5"	659710
	5.5"	659711
	7.5"	659712
SHORT CODE	3.5"	1FS
	5.5"	2FS
	7.5"	3FS
UPC	3.5"	748232100067
	5.5"	748232100074
	7.5"	748232100081
PRODUCT DIMENSIONS		All rolls 3/16" thick x 50' long
CARTON DIMENSIONS		44" x 44" x 45"
CARTON COUNT	3.5"	192
	5.5"	128
	7.5"	96
PALLET DIMENSIONS		90" x 88" x 44"H
PALLET COUNT	3.5"	768
	5.5"	512
	7.5"	384
STOCKING LOCATIONS	3.5"	FB, KC, DEL, NEW, WAX, TALL, ROCK, PORT, VAC, PHO
	5.5"	FB, KC, DEL, NEW, WAX, TALL, ROCK, PORT, VAC, PHO
	7.5"	FB, KC, DEL, NEW, TALL, ROCK, VAC, PHO
MINIMUM QUANTITY	Insulation 1 ct top-loaded	
	Foam 4 ct/1 pl top-loaded	



ProPink ComfortSeal™ Sill Gasket seals the gap between the sill plate and foundation. A high percentage of a building's heat loss is due to air infiltration.

ProPink ComfortSeal™ Framing Gasket



PRODUCT CODE	780778
UPC	047563713572
PRODUCT DIMENSIONS	3" x 50' x 3/16"
CARTON DIMENSIONS	45" x 45" x 48"
CARTON COUNT	240
PALLET DIMENSIONS	90" x 88" x 44"
PALLET COUNT	960
TRUCKLOAD QUANTITY	13,440
STOCKING LOCATIONS	FB, WAX, DEL, VAC, PHO
MINIMUM QUANTITY	1 ct/240 rolls top-loaded

ProPink ComfortSeal™ Framing Gasket seals the gap between the top plate, base plate, rim joists, and floor connections.

UPS: Products designated as UPS shipment in minimum quantities.
Top-loaded: This shipping option indicates product availability from stocking locations in minimum quantities added to insulation orders in line with Residential Insulation order guidelines (delivered or CPU).

QuietZone® Floor Mat



PRODUCT CODE	736665
SHORT CODE	ME34
ROLL UPC	047563302479
PRODUCT DIMENSIONS	4' x 35'
ROLL DIMENSIONS	14"D x 4"W x 35"L
PALLET DIMENSIONS	42" x 42" x 48"
PALLET COUNT	9
STOCKING LOCATIONS	NEW, TOR, EDM
MINIMUM QUANTITY	1 roll top-loaded

QuietZone® Acoustic Floor Mat is composed of a lightweight, closed-cell, extruded polyethylene foam and is acoustically engineered to isolate sound vibrations and impact noises. Used with wood or concrete floor assemblies.

QuietZone® Acoustic Floor Mat Tape

UPS option



PRODUCT CODE	717599
UPC	047563710922
PRODUCT DIMENSIONS	2 3/8" x 72 yards
CARTON DIMENSIONS	20" x 20" x 9"
CARTON COUNT	20 rolls
PALLET DIMENSIONS	40" x 40" x 45"
PALLET COUNT	1,280 rolls
STOCKING LOCATIONS	UPS only
MINIMUM QUANTITY	1 ct/20 rolls

QuietZone® Acoustic Floor Mat Tape is designed and engineered to secure seams of Owens Corning® QuietZone® Floor Mat. It will maintain its adhesive properties under high-humidity conditions and provide a long-lasting seal.

UPS: Products designated as UPS shipment in minimum quantities.
Top-loaded: This shipping option indicates product availability from stocking locations in minimum quantities added to insulation orders in line with Residential Insulation order guidelines (delivered or CPU).

How to Order

Owens Corning Customer Service 1-800-346-1272 | **Owens Corning Help Line** 1-800-GET-PINK®

PRODUCT	PRODUCT CODE
ProCat® Installation Machine	739512
ProCat® Retrofit Wall Kit	925624
3" Wood Plugs	581088
ProCat® Loosefill Insulation	750865
raft-R-mate® Ventilation Baffles	UPS 459263/top-loaded 510266
Attic Stairway Insulator	541799
Attic Hatch Bag	740502
Insulation Vacuum Bag	783394
Multi-Purpose Insulation Roll	514486
Garage Door Insulation Kit	500824
Wall Fabric — 8'2", 9'2", and 10'2"	1198826/1198823/1198808
Loosefill Wall Installation Tube	742510
ProPink ComfortSeal™ Gun Foam	644228
ProPink ComfortSeal™ Gun Foam All Season	644229
ProPink ComfortSeal™ Foam Sealant Cleaner	644230
ProPink® Foam Sealant Gun — All Plastic	644231
ProPink® Foam Sealant Gun — Hybrid	644232
ProPink ComfortSeal™ Sill Gasket	659710/659711/659712
ProPink ComfortSeal™ Framing Gasket	780778
QuietZone® Floor Mat	736665
QuietZone® Acoustic Floor Mat Tape	717599



OWENS CORNING SALES, LLC
 ONE OWENS CORNING PARKWAY
 TOLEDO, OH 43659 USA
1-800-GET-PINK®
www.owenscorning.com

Pub. No. 10015771-AA. Printed in U.S.A. March 2025.
 THE PINK PANTHER™ & © 1964–2025 Metro-Goldwyn-Mayer Studios Inc. All Rights Reserved.
 The color PINK is a registered trademark of Owens Corning.
 © 2025 Owens Corning. All Rights Reserved. © 2025 Thermafiber, Inc. All Rights Reserved.