

BANK OF AMERICA TOWER

NEW YORK, NY

Owens Corning delivers high-performance insulation solutions through a full line of fiberglass, foam, and mineral wool products and systems. These products and system solutions help conserve energy, improve acoustics, and ease installation and use. These qualities add up to preferred insulation products for residential and commercial construction and industrial applications.

An innovative perimeter fire containment assembly was installed using Thermafiber® FireSpan® and Thermafiber® Safing to help achieve outstanding floor-to-floor fire separation in compliance with building code fire requirements.

With a minimum of 70% recycled content, the installed Thermafiber® products contributed to valuable LEED® credits, helping the building earn a LEED® Platinum certification.^{1,2}

Products Used

- Thermafiber® FireSpan® 90 Curtain Wall Insulation
- Thermafiber® Safing Fire Containment Insulation
- Thermafiber® Impasse® Insulation Hanger System

Technical Details

· Floor Count: 55 floors, 7 mechanical, 3 basement

Floor Area: 2.1 million ft²

Design & Construction

· Architectural Firm: COOKFOX Architects

· Owner & Developer: Bank of America, Durst Organization

 Structural Engineer: Severud Associates

Main Contractor: Tishman Construction Corporation

· Completion: 2009

For more information on the Owens Corning family of commercial insulation products, contact your Owens Corning dealer, call 1-800-GET-PINK®, or visit www.owenscorning.com.



^{2. &}quot;Bank of America Tower at One Bryant Park Is First Commercial Skyscraper in U.S. to Achieve LEED® Platinum" Bank of America Newsroom. Accessed 12/1/2016. <http://newsroom.bankofamerica.cóm/press-release/environment/bank-america-tower-one-bryant-park-first-commercial-skyscraper-us-achieve->

THERMAFIBER, INC.

ONE OWENS CORNING PARKWAY TOLEDO, OHIO, 43659 USA 888-TFIBER1 | 888-834-2371 www.owenscorning.com/thermafiber

